Class Aves

Birds (class Aves or clade Avialae) are feathered, winged, two-legged, warm-blooded, egg-laying vertebrates. Modern birds are characterised by feathers, a beak with no teeth, the laying of hard-shelled eggs, a high metabolic rate, a four-chambered heart, and a lightweight but strong skeleton.

Genus - Archaeoptaryx (Late Jurassic, ~150 MYA)

- Transitional from dinoasur to bird
- First fossil to display traditional reptile characteristics (teeth, clawed fingers, tail) and also flight feathered wings characteristic of modern birds
- Similar in size to a raven



Class Aves

Genus Titanis (Terror Bird)

Pliocene-Plestocene (5 to 2 mya) 8', 300 pound carnivorous bird

Closely resembles
Theropod dinosaurs
But lacks front feet
Ran down prey (30 mph)
could not fly (wings too
small for its weight)



Class Aves

Genus Ichthyornis * meaning "fish bird"


- Late Cretaceous toothed sea-bird
- Historically important, first "bird" with preserved teetn





Mammal-like "Reptiles" Clade Synapsia

<u>Genus – Dimetrodon</u> (pelycosaurs)

- Predated dinosaurs
- More akin to mammals in skeletal structure but not mammals
- Early Permian (290-270 MYA)
- Quadrupedal, top Permian predator
- Characterized by "sail" coming off their vertebrae









Clade Synapsia Order Theraspidas

<u>Genus – Lystrosaurus</u> (therapsids)


Late Permian-Triassic (255-240 MYA)

- Herbivorous, pig-sized
- Survived the Permian extinction, only to become extinct soon after










Mammals (pg. 1 of 4) Class Mammalia

Genus Basilosaurus

- Early marine mammal (whale)
- 40-34 MYA (Eocene)
- Saurus in the name is "wrong"
- 12-20m long



Molar teeth

Whole animal (height)

Class Mammalia

Genus Equus

- Modern Horses
- First species were dog-size
 ~50 MYA
- Oligocene and Miocene species were larger, today's size just 4 MYA
- Grass and sedge eating herbivores

1.6m 1.6m 2 4 before wear after wear afte

Class Mammalia

Genus Australopithecus (hominin) *

- Ancestor Genus Homo
- 4.5 2.0 mya
- Advanced brain and hand motion capability



Mammals (pg. 2 of 4)


Class Mammalia

Genus Homo - Species neanderthalensis

- Extinct species of our Genus
- 0.3 to 0.03 MYA (3000,000 to 30,000 years)
- Extinction in Europe can be related to extreme cold period

Class Mammalia

Genus Homo – Species erectus *




Class Mammalia Genus Homo – Species sapiens

- Also 5,000 years after Homo sapiens appeared
- Genus Homo is 2.4 MY old

Class Mammalia Genus Mammut (Mastodon)

- North and Central America
- Pliocene-Pleistocene (5.3 to 0.1 MYA)
- Extinction by climate change combined with hunters








Mammals (pg. 3 of 4)

Class Mammalia

Genus Mammuthus (Mammoth)

- More global than Mastodon
- Also 5 MY, but til 4,500 yrs. ago

Wooly Mammoth: Mammuthus primigenus



Mammoth

Class Mammalia Genus Megacerops

- Extinct rhinoceras-like browser related to horses
- Large horns, larger than modern rhino, about elephant sized
- 38-34 MY in Late Eocene Epoch
- North American genus

Mastodon



-		
	6 13	
	_//	


Mammals (pg. 4 of 4)

Class Mammalia

Genus Mesohippus

- Ancestor to modern horse (Equus) -- see #82
- Eocene-Oligocene (30-40 MY)





Class Mammalia

Genus Smilodon

- saber-toothed tiger
- N. and S. America
- 2.5 MY until 10,000 years ago
- La Brea Tar pits (look it up!)

