Clade Dinosauria

Order Ornithisichia (bird-hipped)

Infraorder Ankylosauria

Genus Ankylosaurus

Very end of Cretacous (68-65 my) armored quadrupedal herbivore, first found in western US, but worldwide, one of the last dinosaurs to go extinct

| | | |
|------|------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



7m (23'), up to 6000 pounds

Infraorder Ceratopsia

Genus Triceratops


"three horned face". Very last of non-avian dinosaurs, latest Cretaceous, herbivore, quadruped



Genus Protoceratops *

Late Cretaceous, herbivore "first-horned face", quadruped

| | | |
|--|------|------|



Clade Dinosauria

Order Ornithisichia (bird-hipped)

Infraorder Ornithopoda

| Genus Iguanodon | Genus | Iguano | don |
|-----------------|-------|--------|-----|
|-----------------|-------|--------|-----|

| Bulky herbivores that were both |
|---------------------------------|
| bipedal and quadrupedal Early |
| Cretaceous ~120 MY, in Europe) |
| |
| |
| |
| |




Genus Parasaurolophus



Genus Maiasaura

Late Cretaceous (77-75 MY)
herbivore, hadrosaur (duckbilled)





Clade Dinosauria

Order Ornithisichia (bird-hipped) Infraorder Pachycephalosauria

Genus Dracorex

Late Cretaceous herbivore only one species, named for Harry Potter School of Wizardry after 2004 discovery in South Dakota small – 3m, perhaps 100 lbs.





Infraorder Stegosauria

Genus Stegasaurus

Herbiverous quadruped, "armored", Late Jurassic (155-150 MY) both North America and Europe

Note the pubis pointing toward the tail

